

# HTML5 Tags Cheat Sheet

Created for Training Dragon HTML5 course

Tag	Explanation	Attributes
<!-- bla bla -->	comment	
<!DOCTYPE>	document type	
<a>	anchor or hyperlink	href, hreflang, media, ping, rel, target, type
<abbr>	abbreviation	
<address>	address	
<area>	area inside an image map	alt, coords, href, hreflang, media, ping, rel, shape, target, type
<article>	article	cite, pubdate
<aside>	content aside from the page content	
<audio>	sound content	autobuffer, autoplay, controls, src
<b>	bold text	
<base>	base URL for all the links in a page	href, target
<bdo>	direction of text display	dir
<blockquote>	long quotation	cite
<body>	body of the page	
 	line break	
<button>	button	autofocus, disabled, form, formaction, formenctype, formmethod, formnovalidate, formtarget, name, type, value
<canvas>	graphics	height, width
<caption>	table caption	
<cite>	citation	
<code>	code text	autobuffer, autoplay, controls, src
<col>	table column	
<colgroup>	group of table columns	span
<command>	command button	checked, disabled, icon, label, radiogroup, type
<datalist>	dropdown list	
<dd>	definition description	
<del>	deleted text	cite, datatime
<details>	details of an element	open
<dialog>	dialog or conversation	
<dfn>	definition term	

<b>&lt;div&gt;</b>	section in a document	
<b>&lt;dl&gt;</b>	definition list	
<b>&lt;dt&gt;</b>	definition term	
<b>&lt;em&gt;</b>	emphasized text	
<b>&lt;embed&gt;</b>	external interactive content	height, src, type, width
<b>&lt;fieldset&gt;</b>	fieldset	disabled, form, name
<b>&lt;figure&gt;</b>	group of media content and caption	
<b>&lt;footer&gt;</b>	footer of page	
<b>&lt;form&gt;</b>	form	accept-charset, action, autocomplete, enctype, method, name, novalidate, target
<b>&lt;frame&gt;</b>	frame within a frameset	
<b>&lt;h1&gt; to &lt;h6&gt;</b>	heading 1 to heading 6	
<b>&lt;head&gt;</b>	information about the document	
<b>&lt;header&gt;</b>	header of a page	
<b>&lt;hgroup&gt;</b>	information about section in a document	
<b>&lt;hr&gt;</b>	horizontal rule	
<b>&lt;html&gt;</b>	html document	
<b>&lt;i&gt;</b>	italic text	
<b>&lt;iframe&gt;</b>	an inline sub window	height, name, sandbox, seamless, src, width
<b>&lt;img&gt;</b>	image	alt, src, height, ismap, usemap, width
<b>&lt;input&gt;</b>	input field	accept, alt, autocomplete, autofocus, checked, disabled, form, formaction, formenctype, formmethod, formnovalidate, formtarget, height, list, max, maxlength, min, multiple, name, pattern, placeholder, readonly, required, size, src, step, type, value, width
<b>&lt;ins&gt;</b>	inserted text	cite, datetime
<b>&lt;keygen&gt;</b>	generated key in a form	autofocus, challenge, disabled, form, keytype, name
<b>&lt;kbd&gt;</b>	keyboard text	
<b>&lt;label&gt;</b>	caption for an item	for, form
<b>&lt;legend&gt;</b>	title in a fieldset	
<b>&lt;li&gt;</b>	list item	value
<b>&lt;link&gt;</b>	resource reference	href, hreflang, media, rel, size, type
<b>&lt;map&gt;</b>	image map	name
<b>&lt;mark&gt;</b>	marked text	
<b>&lt;menu&gt;</b>	menu list	label, type
<b>&lt;meta&gt;</b>	meta information	charset, content, http-equiv, name

<b>&lt;meter&gt;</b>	measurement within a predefined range	high, low, max, min, optimum, value
<b>&lt;nav&gt;</b>	navigation links	
<b>&lt;noscript&gt;</b>	embedded object	data, form, height, name, type, usemap, width
<b>&lt;ol&gt;</b>	ordered list	reversed, start
<b>&lt;optgroup&gt;</b>	option group	label, disabled
<b>&lt;option&gt;</b>	option in a drop-down list	disabled, label, selected, value
<b>&lt;output&gt;</b>	type of output	for, form, name
<b>&lt;p&gt;</b>	paragraph	
<b>&lt;param&gt;</b>	parameter for an object	name, value
<b>&lt;pre&gt;</b>	preformatted text	
<b>&lt;progress&gt;</b>	progress of a task	max, value
<b>&lt;q&gt;</b>	short quotation	cite
<b>&lt;rp&gt;</b>	fall-back parenthesis for browsers non-supporting ruby annotations	
<b>&lt;rt&gt;</b>	explanation to ruby annotations	
<b>&lt;ruby&gt;</b>	ruby annotations	
<b>&lt;samp&gt;</b>	sample computer code	
<b>&lt;script&gt;</b>	script within document	async, type, charset, defer, src
<b>&lt;section&gt;</b>	section	cite
<b>&lt;select&gt;</b>	selectable list	autofocus, disabled, form, multiple, name, size
<b>&lt;small&gt;</b>	small text	
<b>&lt;source&gt;</b>	media resources	media, src, type
<b>&lt;span&gt;</b>	section in document	
<b>&lt;strong&gt;</b>	strong text	
<b>&lt;style&gt;</b>	style within document	type, media, scoped
<b>&lt;sub&gt;</b>	super-scripted text	
<b>&lt;sup&gt;</b>	sub-scripted text	
<b>&lt;table&gt;</b>	table	summary
<b>&lt;tbody&gt;</b>	table body	summary
<b>&lt;td&gt;</b>	table data or table cell	colspan, headers, rowspan
<b>&lt;textarea&gt;</b>	text area	autofocus, cols, disabled, form, maxlenht, name, placeholder, readonly, required, rows, wrap
<b>&lt;tfoot&gt;</b>	table footer	
<b>&lt;thead&gt;</b>	table head	
<b>&lt;th&gt;</b>	table header	colspan, headers, rowspan, scope
<b>&lt;time&gt;</b>	date and time	datetime

<b>&lt;title&gt;</b>	title of document	
<b>&lt;tr&gt;</b>	table row	
<b>&lt;ul&gt;</b>	unordered list	
<b>&lt;var&gt;</b>	variable	
<b>&lt;video&gt;</b>	video	autobuffer, autoplay, controls, height, loop, src, width